


- Mini Aqua
- Pump with remote detection unit
- 12 l/h
- Aspen Pumps



Condensate pumps type Mini Aqua

Mini Aqua

The world's slimmest condensate removal pump is designed to fit where other's can't!

Brand

- Aspen Pumps

Application

- AC Units up to 16 kW
- Ducted units
- Floor standing & Chassis units
- High wall split systems

Specifications


- Max. flow: 12 l/h
- Max. suction lift: 2 m
- Sound pressure at 1 m: 21 dB(A)
- Alarm contact: Normally closed 3.0 A resistant

Technical data

- Power consumption: 16 W

Technical Data	
MINI Aqua @ 230 VAC 50Hz	
Max. flow	12L/h @ 0m head
Max. rec. head	10m
Max. suction lift	2m
dB(A) @ 1m	21
Power supply	230 VAC
Rated	0.11A, 16W, 50/60Hz
Class	Non continuous
Max. unit output	16kW / 54,000Btu/h
Max. water temp	40°C / 104°F
Discharge tube	6mm ID
IP Protection	IP24
Safety switch	3.0A Normally closed
Thermal protection	
Self priming	
Fully potted	

Performance Graph







J.04

Condensate
pumps

Dimensional Drawing



What's in the box

- 1.5m Plug & play power cable
- 1.04 Mini Aqua 4/5 2025/11/27 UK EN
- Anti vibration bracket



J.04

Condensate pumps

- 220mm Blue inlet hose 14mm ID
- 150mm Vinyl breather tube 6mm ID
- Drain connector kit
- Fixing kit
- Install manual